


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Released
August 19, 1933.

STOCKS OF LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS

JULY 1, 1933.

Stocks of leaf tobacco in the United States owned by dealers and manufacturers amounted to 2,097,926,000 pounds on July 1, 1933 compared with 2,238,738,000 pounds on July 1, 1932. This is a decrease in the total stocks of 140,612,000 pounds under the stocks of a year ago July 1. From April 1, 1933 to July 1, 1933 total stocks decreased 179,976,000 pounds, while during the same period of 1932 the decrease amounted to only 135,023,000 pounds.

Stocks of flue-cured tobacco on hand July 1, 1933 amounted to 578,151,000 pounds compared with 745,207,000 pounds on July 1, 1932, a decrease of 167,056,000 pounds. During the second quarter of 1933 flue-cured stocks decreased 102,129,000 pounds compared with a decrease of 100,435,000 pounds during the same period of 1932.

Stocks of fire-cured were reported as 253,487,000 pounds on July 1, 1933 compared with 213,408,000 pounds on July 1, 1932. This is an increase of about 15 million pounds over fire-cured stocks of a year ago July 1, and about 9 million pounds less than the April 1, 1933 stocks. Virginia Fire-cured, Type 21 stocks reported as 31,514,000 pounds on July 1, were about 5 million pounds lower than a year ago, and 4 million pounds lower than April 1, 1933 stocks. Type 22, reported as 143,311,000 pounds showed an increase of nearly 20 million pounds over the previous July 1 stocks, while Type 23 stocks at 48,057,000 pounds were practically the same as a year ago. Stocks of Henderson Stemming, Type 24, were reported as 5,605,000 pounds on July 1, 1933; slightly higher than a year ago.

Burley stocks were about 26 million pounds higher on July 1 than they were a year ago. The July 1, 1933 report shows 677,460,000 pounds on hand compared with 651,156,000 pounds on July 1, 1932. The decrease during the second quarter of 1933 amounted to 66,704,000 pounds compared with a decrease of 51,668,000 pounds during the same period of 1932. Maryland tobacco stocks, reported as 23,444,000 pounds on July 1, were nearly a million pounds lower than on April 1, but about 7 million pounds higher than on July 1, 1932.

One-Sucker stocks on July 1, 1933 amounted to 36,677,000 pounds, about 4 million pounds lower than on April 1, and about a million pounds lower than a year ago July 1. Green River stocks, reported as 41,508,000 pounds, were about 4 1/2 million pounds higher than on July 1, 1932. Virginia Sun-cured stocks totaled 3,228,000 pounds, Miscellaneous Domestic, 2,043,000 pounds, and foreign-grown cigarette tobacco stocks 86,127,000 pounds on July 1, 1933.

July 1 Cigar Leaf Tobacco Stocks.

Stocks of American grown cigar filler types amounted to 176,945,000 pounds on July 1, 1933, compared with 201,873,000 pounds on July 1, 1932, a decrease of about 25 million pounds. All filler types show some decrease under July 1, 1932 except Type 42, which shows a slight increase. Type 41, Penn. Seedleaf stocks on July 1 were 99,048,000 pounds; Type 42, Gebhardt 21,930,000 pounds; Type 43, Zimmer 26,913,000 pounds; Type 44, Dutch 8,483,000 pounds; Type 45; Ga. and Fla. Sungrown 1,839,000 pounds; and Type 46, Porto Rican 18,732,000 pounds. Last year during the second quarter total filler stocks showed a slight increase, this year there was a slight decrease.

The cigar binder type stocks were about two million pounds lower on July 1, 1933 than they were on July 1, 1932. Total binder stocks were reported as 208,074,000 pounds on July 1, 1933. Of this total, 38,590,000 pounds were Type 51, Conn. Broadleaf; 38,327,000 pounds Type 52, Conn. Havana Seed; 3,932,000 pounds Type 53, N. Y. and Penn. Havana Seed; and 127,225,000 pounds Types 54 and 55 combined, Northern and Southern Wisconsin. The detailed report by groups of grades shows that of the total stocks reported of these types 4,767,000 pounds are of wrapper quality, 79,762,000 pounds are binders, 9,816,000 pounds are fillers, and 113,343,000 pounds are stemming grade or X group tobacco.

Shade-grown wrapper stocks were practically the same as they were a year ago on July 1. Conn. Valley Shade stocks were reported as 10,422,000 pounds, and Georgia and Florida Shade as 3,923,000 pounds on July 1, 1933. Of the total of 14,345,000 pounds of shade tobacco reported 9,141,000 pounds are shown in the A group as being of actual wrapper quality. Foreign-grown cigar leaf tobacco stocks were reported as 11,437,000 pounds on July 1, 1933.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf,
and Fillers
C-Thin Leaf or Cutters
X-Lugs and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 31:

A-Wrappers
B-Leaf or Fillers and Tips
C-Lugs, or Cutters
X-Trash, Flyings and Spods
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as
Dull Crop
C-Thin Leaf, locally known as
Bright Crop
X-Seconds and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 41:

B-Binders or Tops
C-Fillers, locally known as
Wrappers or B's
X-Stemming, Farm Fillers, Ground
Leaves, and crops unsuitable
for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers
X-Stemming, Farm Fillers, Ground
Leaves and crops unsuitable for
sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 45:

C-Fillers
X-Stemming, Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 46:

C-Tripas or Fillers
X-Resagos, Terceros, Boliches, and
crops unsuitable for sorting.
S-Scrap (Picadura), as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers
B-Binders, locally known as Seconds
C-Fillers, locally known as Tips or
B's.
X-Stemming, Sand-Leaf Fillers,
Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers, locally known as Tips or
B's.
X-Stemming, Sand-Leaf Fillers,
Bottom Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Binders
C-Fillers, or Tips
X-Trashy Fillers or Loose Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

* For definitions of Scrap and Nondescript see Service and Regulatory
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS BY GROUPS OF GRADES
JULY 1, 1933.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	NEW CROP		OLD CROP		JULY 1	APRIL 1
	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals : 1000 lbs.	Group Totals : 1000 lbs.
A	4,855	-	162	-	5,017	8,376
B	39,335	2,952	1,729	464	44,480	58,269
C	59,028	5,765	1,697	25	66,515	80,183
X	120,714	18,396	546	28	139,684	159,696
S	7,905	17	9	5	7,936	10,209
N	380	-	9	-	389	515
Total	232,217	27,130	4,152	522	264,021	317,248

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED

A	169	-	-	-	169	167
B	22,472	400	238	99	23,209	30,936
C	50,687	7,186	6,343	28	64,244	74,472
X	75,463	15,312	1,762	25	92,562	107,807
S	5,299	14	5	-	5,318	6,049
N	304	-	-	-	304	758
Total	154,394	22,912	8,348	152	185,806	220,189

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	1,022	-	-	-	1,022	1,237
B	10,300	396	60	29	10,785	11,621
C	27,536	3,285	407	-	31,228	35,696
X	34,710	8,192	1,015	-	43,917	48,078
S	1,708	-	-	32	1,740	2,527
N	77	-	-	-	77	160
Total	75,353	11,873	1,482	61	88,769	99,319

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	54	-	1	-	55	65
B	1,785	779	-	-	2,564	4,155
C	4,161	19,236	47	-	23,444	24,925
X	6,012	6,743	406	65	13,226	14,074
S	249	6	-	-	255	294
N	11	-	-	-	11	11
Total	12,272	26,764	454	65	39,555	43,524

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED

Group	NEW CROP		OLD CROP		JULY 1	APRIL 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	824	-	13	-	837	953
B	4,973	188	2,413	-	7,574	8,485
C	1,679	204	93	-	1,981	2,418
X	18,108	167	2,345	2	20,622	23,541
S	423	6	21	-	450	361
N	50	-	-	-	50	62
Total	26,057	565	4,890	2	31,514	35,820

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. & S.)

A	3,118	1	21	-	3,140	3,564
B	82,780	75	203	-	83,058	83,178
C	14,538	43	12	-	14,593	14,517
X	43,006	70	70	-	43,146	39,775
S	2,859	25	17	1	2,902	2,162
N	1,467	-	-	-	1,467	594
Total	147,768	219	323	1	148,311	143,790

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & F.)

A	193	3	19	-	220	229
B	26,370	181	-	5	26,556	27,320
C	5,473	-	-	-	5,473	9,021
X	14,481	-	17	-	14,498	16,470
S	1,149	1	2	-	1,152	1,210
N	158	-	-	-	158	194
Total	47,829	185	38	5	48,057	54,444

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	-	-	-	-	-	2
B	1,673	171	-	-	1,844	2,220
C	1,031	-	-	-	1,031	1,569
X	2,552	6	2	-	2,560	4,239
S	122	1	-	-	123	256
N	47	-	-	-	47	49
Total	5,425	178	2	-	5,605	8,335

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY

Group	NEW CROP		OLD CROP		JULY 1	APRIL 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,592	1	13	-	1,606	1,940
B	319,071	51,248	284	670	371,273	408,169
C	176,669	18,549	1,266	486	196,970	215,340
X	82,194	9,713	41	-	91,948	103,557
S	11,826	450	47	-	12,323	11,841
N	3,331	-	7	2	3,340	3,317
Total	594,683	79,961	1,658	1,158	677,460	744,164

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	9,107	-	-	-	9,107	9,086
C	10,138	1,104	-	-	11,242	11,903
X	7,711	155	3	-	7,869	8,172
S	128	-	-	-	128	19
N	93	-	-	-	98	67
Total	27,182	1,259	3	-	28,444	29,247

U. S. TYPE 35.-ONE SUCKER

A	1,161	-	3	-	1,164	1,456
B	14,131	-	48	-	14,179	15,636
C	9,945	-	69	-	10,014	11,369
X	9,214	94	13	-	9,321	10,332
S	822	-	1	-	823	371
N	1,115	-	61	-	1,176	1,277
Total	36,388	94	195	-	36,677	40,941

U. S. TYPE 36.-GREEN RIVER

A	345	-	-	-	345	364
B	15,931	616	15	-	16,562	17,608
C	1,922	26	97	-	2,045	2,863
X	21,235	323	36	1	21,595	22,190
S	903	20	20	2	945	903
N	9	-	7	-	16	78
Total	40,345	985	175	3	41,508	44,006

U. S. TYPE 37.-VIRGINIA SUN-CURED

A	273	-	-	-	273	225
B	387	68	5	5	465	485
C	226	-	4	2	232	294
X	871	1,153	16	112	2,152	2,524
S	74	32	-	-	106	78
Total	1,831	1,253	25	119	3,228	3,606

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

Group	NEW CROP		OLD CROP		JULY 1	APRIL 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Total
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
B	944	42	26	2	1,014	951
C	71,218	1,811	196	317	73,542	71,304
X	20,830	3,400	8	-	24,238	27,509
S	38	213	-	3	254	192
Total	93,030	5,466	230	322	99,048	99,956

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	15,335	557	614	329	16,835	17,464
X	4,966	38	22	-	5,026	3,521
S	38	25	-	1	64	43
N	5	-	-	-	5	5
Total	20,344	620	636	330	21,930	21,033

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	17,675	758	640	23	19,096	21,046
X	7,459	202	1	-	7,662	6,636
S	74	81	-	-	155	114
Total	25,208	1,041	641	23	26,913	27,796

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	5,693	99	521	3	6,316	6,359
X	2,095	8	1	-	2,104	2,196
S	10	52	-	1	63	79
Total	7,798	159	522	4	8,483	8,634

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	631	1,202	-	-	1,833	1,931
X	2	-	-	-	2	5
S	-	4	-	-	4	2
Total	633	1,206	-	-	1,839	1,938

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	99	14,758	-	50	14,907	15,142
X	322	2,543	-	1	2,866	2,974
S	27	926	-	2	955	1,202
N	3	-	-	1	4	-
Total	451	18,227	-	54	18,732	19,318

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		JULY 1	APRIL 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	2,117	13	260	7	2,397	1,734
B	25,802	111	1,184	21	27,118	24,951
C	2,072	213	506	14	2,805	1,836
X	3,299	2,344	12	41	6,196	6,684
S	1	73	-	-	74	452
N	-	-	-	-	-	10
Total	33,291	3,254	1,962	83	38,590	35,667

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	2,261	6	53	-	2,320	1,550
B	26,219	67	1,079	-	27,365	27,513
C	1,329	110	1	-	1,440	1,688
X	3,766	3,374	3	49	7,192	7,502
S	1	9	-	-	10	390
Total	33,576	3,566	1,136	49	38,327	38,643

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	43	-	7	-	50	53
B	291	-	48	-	339	388
C	210	6	3	-	219	184
X	3,319	-	-	-	3,319	2,568
S	1	4	-	-	5	62
Total	3,864	10	58	-	3,932	3,255

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	6,892	1	1,085	68	8,046	7,984
C	2,123	189	54	-	2,366	2,825
X	61,462	4,077	6	444	65,989	58,968
S	94	-	-	-	94	-
N	24	-	-	-	24	-
Total	70,595	4,267	1,145	512	76,519	69,777

U. S. TYPE 55.-NORTHERN WISCONSIN

B	15,800	96	983	17	16,896	16,739
C	2,841	103	42	-	2,986	2,878
X	29,240	1,406	1	-	30,647	28,092
S	74	64	-	7	145	71
N	32	-	-	-	32	-
Total	47,987	1,669	1,026	24	50,706	47,780

(Figures rounded to nearest thousand pounds)

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

Group	NEW CROP		OLD CROP		JULY 1	APRIL 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Total	Group Total
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	5,555	15	122	-	5,692	6,818
B	3,793	71	8	-	3,872	3,310
C	556	72	50	1	679	561
X	79	-	2	-	81	108
S	3	95	-	-	98	68
Total	9,986	253	182	1	10,422	10,865

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

A	3,415	2	32	-	3,449	3,550
B	284	76	-	-	360	424
C	58	8	1	-	67	167
X	45	-	1	-	46	42
S	-	1	-	-	1	35
Total	3,802	87	34	-	3,923	4,218

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC

No Groups	1,332	427	194	90	2,043	2,095
-----------	-------	-----	-----	----	-------	-------

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	4,141	6,917	307	72	11,437	11,187
-----------	-------	-------	-----	----	--------	--------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	80,054	45	6,028	-	86,127	91,109
-----------	--------	----	-------	---	--------	--------

GRAND TOTAL ALL TYPES

	NEW CROP		OLD CROP		Grand	
	Unstemmed	Stemmed	Unstemmed	Stemmed	Total	
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	Total	
July 1, 1933	1,837,836	220,592	35,846	3,652	2,097,926	
April 1, 1933	1,987,679	244,308	42,059	3,858	2,277,904	

(Figures rounded to nearest thousand pounds)

Washington, D. C.
August 19, 1933.

TOBACCO STOCKS REPORT
LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS JULY 1, 1933

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics, Tobacco Section

(Figures are in thousands of pounds)

TYPE NAME	U.S. No.	NEW CROPS		OLD CROPS		TOTAL OF TYPE	
		1929, '30, '31 & '32	1929	1929	1929	1929	1929
		UNSTEAMED	STEAMED	UNSTEAMED	STEAMED	UNSTEAMED	STEAMED
Old Belt Flue-cured Va. & N. C.	11	232,217	27,130	4,152	522	264,021	1000 lbs.
Eastern N. C. Flue-cured	12	154,394	22,912	8,348	152	185,806	317,248
South Carolina Flue-cured (In-cluding Southeastern N.C.)	13	75,353	11,873	1,482	61	88,769	220,189
Ga. and Florida Flue-cured	14	12,272	26,764	454	65	39,555	99,319
Total Flue-cured		474,236	88,679	14,436	800	578,151	431,524
Virginia Fire-cured	21	26,057	565	4,890	2	31,514	680,280
Tenn. and Ky. Fire-cured (Eastern District C.H. and S.)	22	147,768	219	323	1	148,311	35,820
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	47,829	185	38	5	48,057	143,790
Henderson Stemming or Northern Fire-cured	24	5,425	178	2	-	5,605	54,444
Total Fire-cured		227,079	1,147	5,253	8	233,487	8,335
Burley	31	594,683	79,961	1,658	1,158	677,460	242,389
Southern Maryland	32	27,182	1,259	3	-	28,444	744,164
Total Light Air-cured		621,865	81,220	1,661	1,158	705,904	29,247
One Sucker	35	36,388	94	195	-	36,677	773,411
Green River	36	40,345	985	175	3	41,508	40,941
Va. Sun-grown	37	1,831	1,253	25	119	3,228	37,495
Total Dark Air-cured		78,564	2,332	395	122	81,413	44,006
Pennsylvania Seedleaf	41	93,030	5,466	230	322	99,048	3,606
Gebhardt (Ohio-Miami Valley)	42	20,344	620	636	330	21,930	88,553
Zimmer (Ohio-Miami Valley)	43	25,208	1,041	641	23	26,913	99,956
Dutch (Ohio-Miami Valley)	44	7,798	159	522	4	8,483	21,033
Ga. and Fla. Sun-grown	45	633	1,206	-	-	1,839	27,796
Porto Rican Sun-grown	46	451	18,227	-	54	18,732	8,534
Total Cigar-Filler Types		147,464	26,719	2,029	733	176,945	11,589
Conn. Valley Broadleaf	51	33,291	3,254	1,962	83	38,590	23,470
Conn. Valley Havana Seed	52	33,576	3,566	1,136	49	38,327	178,675
N. Y. and Pa. Havana Seed	53	3,864	10	58	-	3,932	35,667
Southern Wisconsin	54	70,595	4,267	1,145	512	76,519	38,643
Northern Wisconsin	55	47,987	1,669	1,026	24	50,706	3,255
Total Cigar Binder Types		189,313	12,766	5,327	668	208,074	69,777
Conn. Valley Shade	61	9,986	253	182	1	10,422	47,780
Ga. and Fla. Shade	62	3,802	87	34	-	3,923	195,122
Total Shade-grown		13,788	340	216	1	14,345	210,430
Miscellaneous Domestic	70	1,332	427	194	90	2,043	10,865
Foreign Cigar-leaf	80	4,141	6,917	307	72	11,437	4,218
Foreign other than cigar leaf	90	80,054	45	6,028	-	86,127	15,083
TOTAL ALL TYPES		1,277,836	220,512	35,246	1,652	2,047,326	14,366

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1932, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the first session of the 72nd Congress as H. R. 9590.

Nils A. Olsen, Chief
Bureau of Agricultural Economics.

